


EN	TC Forceps
DE	TC-Zange
ES	Pinzas TC
FR	Pince TC
IT	Pinze TC

Page 111 to 114






ADSON



MICRO ADSON



ADSON BROWN
09-2305-12
12 cm/4 ¾"




TC FORCEPS



- STANDARD**
- 09-2306-14 14.5 cm/5 3/4"
 - 09-2306-16 16 cm/6 1/4"
 - 09-2306-18 18 cm/7 1/8"
 - 09-2306-20 20 cm/7 7/8"
 - 09-2306-25 25 cm/9 7/8"
 - 09-2306-30 30 cm/11 3/4"




OEHLER



USA MOD.
 15 cm/5 7/8"



CUSHING
 17.5 cm/6 7/8"



CUSHING-TAYLOR
 18 cm/7 1/8"



TC FORCEPS



POTTS-ITH

09-2312-16
16 cm/6 1/4"
0.5 mm

09-2312-18
18 cm/7 1/8"
0.5 mm

09-2312-20
20 cm/7 7/8"
0.5 mm

09-2312-23
23 cm/9"
0.5 mm

09-2312-25
25 cm/9 7/8"
0.5 mm



WANGENSTEEN

09-2313-15
15 cm/5 7/8"
0.5 mm

09-2313-23
23 cm/9"
0.5 mm

0.4 mm
09-2314-15
15 cm/5 7/8"

0.4 mm
09-2315-15
15 cm/5 7/8"

0.4 mm
09-2316-15
15 cm/5 7/8"

0.5 mm
09-2317-18
18 cm/7 1/8"

0.5 mm
09-2318-18
18 cm/7 1/8"




SEMKEN




MCINDOE




BONNEY



GILLIES
 09-2319-15
 15 cm/5 7/8"



FERRIS-ITH
 09-2320-18
 18 cm/7 1/8"



DEBAKEY-ATRAUMA
 09-2321-15 15 cm/5 7/8"
 09-2321-19 19 cm/7 1/2"
 09-2321-24 24 cm/9 1/2"

